









HAYA ENGINEERING

Sr.	Item Name	Model No		04-11-2021	
Electric Baking Oven					
1	1 Deck 1 Tray Electric Oven	HE1DO		Size:930*685*410 Vol.:220V/50Hz / 3KW N/G Weight:50/60 Details:Temperature:20-300°C Chamber size: 645*510*155 mm Tray size: 400*600mm Aluminum plated chamber. Thermostate Controller	
2	1 Deck 1 Tray Electric Oven	HE1DO		Dimension: 980x675x405mm Volts: 220V/50Hz/3KW Weight: 60Kg Chamber size: 645*510*155 mm Temperature:20-300°C Chamber size: 645*510*160mm Digital Timer & Temp. Controller	
3	1 Deck 2 Tray Electric Oven	HE1DO		Size:1260*850*570 Power: 220V/50Hz/ 6.3KW N/G Weight:78/88 Details:Tray size: 400*600mm Chamber size: 870*720*200mm Aluminum plated chamber. 1.With overheat/overload protection. 2.With leakage protection. 3. With timer control. 4. Upper fire 6 heaters. Lower fire 6 heater.	
4	1 Deck 3 Tray Electric Oven	HE1DO		Size:1680*860*580 Power: 220V/50Hz/ 9.0KW N/G Weight:110/120 Details:Tray size: 400*600mm Aluminum plated chamber. Chamber size: 1310*670*220 mm 1.With overheat/overload protection. 2.With leakage protection. 3. With timer control. 4. Upper fire 6 heaters. Lower fire 6 heater.	
5	2 Deck 4 Tray Electric Oven	HE2DO		Size: 1260*850*1250 Power: 380V/50Hz/12.6KW N/G Weight:188/208 Details:Tray size: 400*600mm Aluminum platedchamber Chamber size: 870*720*200mm 1.With overheat/overload protection. 2.With leakage protection. 3. With timer control. 4. Upper fire 6 heaters. Lower fire 6 heater.	
6	2 Deck 6 Tray Electric Oven	HE2DO		Dimension: 1650*850*1240mm Power: 380V/50Hz/16.4KW N/G Weight:115/135Kg Details:Tray size: 400*600mm Aluminum plated chamber. Chamber size: 1310*670*220 mm 1.With overheat/overload protection. 2.With leakage protection. 3. With timer control. 4. Upper fire 6 heaters. Lower fire 6 heater.	






HAYA ENGINEERING

7	3 Deck 6 Tray Electric Oven	HE3DO		Dimension: 1260*830*1630mm Power: 380V/50Hz/18.9KW N/G Weight:258/273Kg Details:Traysize:400*600mm Aluminum plated chamber Chamber size: 870*720*200mm 1.Withoverheat/overload protection. 2.With leakage protection. 3.With timer control. 6.Upper fire 6 heaters. Lower fire 6 heater.	
Gas Baking Oven					
8	1 Deck 1 Tray Gas Oven	HE1DO		Vol.:220V/50Hz/0.075KW Dimension: 1080*680*650mm N/G Weight:100/110 Kg Details:Tray size: 400*600mm 1.With flameout protected function. 2.Aluminum main gas pipe. 3.Pure copper branch gas pipe. 4.Alusteel inside baking chamber 5.Chamber size 470*670*185mm	
9	1 Deck 2 Tray Gas Oven	HE1DO		Vol.:220V/50Hz/0.075KW Dimension: 1340*950*650mm N/G Weight:176/186 Kg Details:Tray size: 400*600mm 1.With flameout protected function. 2.Aluminum main gas pipe. 3.Pure copper branch gas pipe. 4.Alusteel inside baking chamber 5.Chamber size 870*670*185mm	
10	1 Deck 3 Tray Gas Oven	HE1DO		Vol.:220V/50Hz/0.075KW Dimension: 1815*925*710mm N/G Weight:180/195 Kg Details:Tray size: 400*600mm 1.With flameout protected function. 2.Aluminum main gas pipe. 3.Pure copper branch gas pipe. 4.Alusteel inside baking chamber 5.Chamber size 1320*700*185mm	
11	1 Deck 4 Tray Gas Oven	HE1DO		Size:1860*1310*740 Power:220V/50Hz/ 0.075KW N/G Weight:230/250 1.With flameout protected function. 2.Aluminum main gas pipe. 3.Pure copper branch gas pipe. 4.Alusteel inside baking chamber 5.Chamber size 1290*1000*180mm	
12	1 Deck 4 Tray Gas Luxurious Oven	HE1DO		Dimension: 1860x960x740mm Volts: 220V/50Hz/75W Weight: 270Kg Temperature:20-350°C	

HAYA ENGINEERING

13	1 Deck 6 Tray Gas Oven	HE1DO		<p>Vol.:220V/50Hz/0.085KW Dimension: 1780*1460*660mm N/G Weight:230/250 Kg Details:Tray size: 400*600mm 1.With flameout protected function. 2.Aluminum main gas pipe. 3.Pure copper branch gas pipe. 4.Alusteel inside baking chamber 5.Chamber size 1290*1290*180mm 6. 4 pcs gas burnning pipe.</p>
14	1 Deck 8 Tray Gas Oven	HE1DO		<p>Vol.:220V/50Hz/0.1KW Dimension: 2120*1400*600mm N/G Weight:250/300 Kg Details:Tray size: 400*600mm 1.With flameout protected function. 2.Aluminum main gas pipe. 3.Pure copper branch gas pipe. 4.Alusteel inside baking chamber 5.Chamber size 1625*1250*180mm 6. 4 pcs gas burnning pipe.</p>
15	2 Deck 4 Tray Gas Oven	HE2DO		<p>Vol.:220V/50Hz/0.15KW Dimension: 1330*850*1400mm N/G Weight:330/345 Kg Details:Tray size: 400*600mm 1.With flameout protected function. 2.Aluminum main gas pipe. 3.Pure copper branch gas pipe. 4.Alusteel inside baking chamber 5.Chamber size 870*670*185mm 6. 4 pcs gas burnning pipe.</p>
16	2 Deck 6 Tray Gas Oven	HE2DO		<p>Vol.:220V/50Hz/0.15KW Dimension: 1815*925*1400mm N/G Weight:290/308 Kg Details:Tray size: 400*600mm 1.With flameout protected function. 2.Aluminum main gas pipe. 3.Pure copper branch gas pipe. 4.Alusteel inside baking chamber 5.Chamber size 1320*700*185mm</p>
17	3 Deck 6 Tray Gas Oven	HE3DO		<p>Dimension: 1330*850*1680mm Power: 220V/50Hz/0.225KW N/G Weight:360/375Kg Details:Tray size: 400*600mm 1.With flameout protected function. 2.Aluminum main gas pipe. 3.Pure copper branch gas pipe. 4.Alusteel inside baking chamber 5.Chamber size 870*670*185mm</p>
18	3 Deck 9 Tray Gas Oven	HE3DO		<p>Dimension: 1815*925*1720mm Power: 220V/50Hz/225W N/G Weight:450/470Kg Details:Tray size: 400*600mm 1.With flameout protected function. 2.Aluminum main gas pipe. 3.Pure copper branch gas pipe. 4.Alusteel inside baking chamber 5.Chamber size 1320*700*185mm</p>





HAYA ENGINEERING

19	3 Deck 12 Tray Gas Oven	HE3DO		<p>Dimension: 1820*1312*1900mm Power :220V/50Hz/1.5KW Net weight: 470kg 1. Tray size: 16"x24" 2. Control Temperature:0-350°C</p>	
20	22Tray Rotray Rack Oven	HE22RO		<p>Dimension: 72*48*80 (inch) CAPACITY : 150KG/DAY OPRATION TYPE: SEMI - AUTOMATIC POWER : 2.5HP Net weight:1700KG Tray size: 14* 20*1 Maximum Temperature:200-400Degree C</p>	
21	36Tray Rotray Rack Oven	HE36RO		<p>Dimension: 72*48*80 (inch) CAPACITY : 500KG/DAY(MAX) DOOR TYPE: single door POWER : 220V/50Hz/1.5KW weight :1700KG Tray size : 14* 20*1 Maximum Temperature:400 - 600Degree C</p>	
22	42Tray Rotray Rack Oven	HE42RO		<p>Dimension : 72*48*80 (inch) CAPACITY : 500KG/DAY(MAX) Opration TYPE: SEMI – AUTOMATIC POWER :220V/50Hz/1.5KW Net weight :1700KG Tray : 14* 20*1 Maximum Temperature:400 - 600Degree C</p>	
23	72Tray Rotray Rack Oven	HE72RO		<p>Dimension: 72*48*80 (inch) Powe CAPACITY : 300KG/DAY OPRATION TYPE: SEMI - AUTOMATIC POWER :220V/50Hz/1.5KW Net weight:1700KG Tray size: 15* 20* 1 Maximum Temperature:400-600Degree C</p>	

HAYA ENGINEERING

	84Tray Rotray Rack Oven	HE84RO		Dimension: 72*48*80 (inch) Powe CAPACITY : 300KG/DAY OPRATION TYPE: SEMI - AUTOMATIC POWER :220V/50Hz/1.5KW Net weight:1700KG Tray size: 15* 20* 1 Maximum Temperature:400-600Degree C	
25	Elec. Pizza Oven (16"x16") With Stone	HEPO-1ST		Temperature: 0-350 C Pizza stone Size:400X400mmx1pcs Machine Size: 560X570X280mm Volts/Power: 220-240V/50-60Hz/2Kw	
26	Elec. Pizza Oven (16"x16"+2) With Stone	HEPO-2ST		Size:560*570*440mm Pizza stone Size:400X400mmx 2pcs Volts: 220V/3KW N/W:33kg STONE BASED	
27	Elec. Pizza Oven (16"x24") With Stone (Thermostate)	HEPO-101ED		Dimension: 980x675x405mm Power: 220V/50Hz/3KW Weight: 60Kg Chamber size: 645x510x160mm Controller : KNOB	
28	Elec. Pizza Oven (16"x24") With Stone (Analog)	HEPO-101ED		Dimension: 980x675x405mm Power: 220V/50Hz/3KW Weight: 60Kg Chamber size: 645x510x160mm Controller : Analog	
29	Elec. Conveyor Pizza Oven	HEPO-12		Size: 1100*570*360MM Volts: 220-240V/6.7KW Weight: 60Kg	

HAYA ENGINEERING

30	khaman /dhokla machine	HEKD		<p>CAPACITY :6TRAY,8TRAY,10TRAY,12TRAY WEIGHT : 39KG, 45KG, 53KG, 60KG SIZE :L *B * H 24* 25* 35in 24* 25*39in 24*25*43in 24*25*47in</p>	
31	Wat grinder machine	HEWG		<p>CAPACITY : 5Ltr, 10Ltr, 15Ltr, 20Ltr WEIGHT: 115KG, 135KG, 155KG, 175KG MOTOR : 0.5HP, 1HP, 1.5HP, 2HP SIZE : L *B * H 31 *19* 40 In 32 * 22 * 40In 36 * 25 * 43In 39 *28 * 46 In</p>	
Electric Convection Oven					
32	4Tray (14"x18") Electric Convection Oven	HECO-4F		<p>Dimension(mm): 595x600x580mm Volts: 220/50Hz Power : 2.6KW Net Weight : 39Kg</p>	
33	5Tray (16"x24") Electric Convection Oven With Steaming	HECO-5D		<p>Dimension: 1370*910*890mm Vol.:380V 50Hz 9.5kW N/G Weight:272/292Kg 1. Tray size:400x600mm 2. Control Temperature:0-350°C 3. With steam function. 4. Distance of tray to tray: 110mm. 5. Using Schneider, Omron components for electrical control system. 6. Up the temperature to 200 °C., just need 10-12 mins 7. Suitable for toast, Hamburger, bread, egg pie, cookie, meat, Chicken, duck....</p>	

HAYA ENGINEERING

34	5 Tray (16"x24") Gas Convection Oven With Steaming	HECO-5Q		<p>Vol.:220V 50Hz 0.55kW E.X. Size:142*93*110 N/G Weight:350/365 Pack. Size/CBM:152*103*120/1.88 Details:1. Manual Control Panel 2. Control Temperature:0-350°C 3. With steam function. 4. Distance of tray to tray: 110mm. 5. Using Schneider, Omron components for electrical control system. 6. Up the temperature to 200 °C, just need 10-12 mins 7. Tray size: 400x600mm 8. Suitable for toast, Hamburger, bread, egg pie, cookie, meat, Chicken, duck.... 9. Gas consumption:2.0kg/h</p>	
35	16 Tray Common Electric Prover	HECE-16		<p>Dimension: 690*480*1930mm Volts: 220/50Hz Power : 2.1KW Capacity : 16 Pans Production : 40Kg/Hr N/W:32Kg</p>	
36	16 Tray Electric Prover	HEEP-16		<p>1) Dimension: 500*770*1980mm 2) Voltage: 220V/50Hz 3) Power: 2.35KW 4) N/G Weight:55/65 5) 16 Tray: 400*600mm 6) Full SS Inside & Outside 7) With Timer</p>	
37	32 Tray Electric Prover	HEEP-32		<p>1) Dimension: 1020*770*1980mm 2) Voltage: 220V/50Hz 3) Power: 3.2KW 4) N/G Weight:110/125 5) Full SS Inside & Outside 6) 32 Tray : 400*600mm 7) With timer</p>	
38	Planetary mixer machine (Belt Drive, Safety Net)	HEPM-7		<p>Size:420*250*425 Vol.:220V/ 50Hz/ 0.35kW N/G Weight:22/28 1. Belt transimission 2. Bow capacity: 7L 3. Accessories: Hook, Whip, Beater. 4. With Safety Guard.</p>	

HAYA ENGINEERING

39	Planetary mixer machine (Gear Drive, Safety Net)	HEPM-10B		Size: 450*366*606 Vol.:220V/ 50Hz/ 0.45kW N/G Weight:56/65 Capacity: 10L Mixing speed : 110*360rpm 1.Copper drive motor. 2.With Hook, Ball, Beat. 3.Oil bath gear box. 4. Gear transmission. 5. With Safety Guard.	
40	Planetary mixer machine (Belt Drive, Safety Net)	HEPM-20F		Size:550*400*860 Vol.:220V50Hz0.75kW N/G Weight:80/95 Bowl Capacity 20L 1.Copper drive motor. 2.Three Speed three function 3.With Hook, Ball, Beat. 4.Oil bath gear box. 5.Belt transmission. 6.With Safety Guard.	
41	Planetary mixer machine (Belt Drive, Safety Net)	HEPM-30F		Size:550*400*960 Vol.:220V/380V 50Hz 0.95kW N/G Weight:90/102 Bowl Capacity 30L 1.Copper drive motor. 2.Three Speed three function 3.With Hook, Ball, Beat. 4.Oil bath gear box. 5.Belt transmission. 6. With Safety Guard.	
42	Planetary mixer machine (Belt Drive, Safety Net)	HEPM40F		Dimension: 620x630x1011mm Bowl Capacity: 40L Power (V/KW): 220-240V/2KW Mixing Speed: 80/160/310r/min 1.Copper drive motor. 2.Three Speed three function 3.With Hook, Ball, Beat. 4.Oil bath gear box. 5.Belt transmission. 6. With Safety Guard.	
43	Planetary mixer machine (Belt Drive, Safety Net, Trolley)	HEPM-60F		1. Bowl Volume :60L. 2. Voltage (V/Hz) : 380V/50Hz. 3. Power(HP) : 3 4. Max. Kneading Capacity : 8Kg. 5. Mixing Speed (r/min) : 74/155/388. 6. Size(mm) : 768x625x1250. 7. 3 Attachments : Wire Whip, Dough Arm, Beater. 8. Colour : White. 9. Trolley : 1Pc. 10. Belt Transmission. 11. With Safety Guard.	

HAYA ENGINEERING

44	Planetary mixer machine (Belt Drive, Safety Net, Trolley)	HEPM-80F		<ol style="list-style-type: none"> 1. Bowl Volume : 80L. 2. Voltage (V/Hz) : 380V/50Hz. 3. Power(HP) : 4 KW 4. Max. Kneading Capacity : 12Kg. 5. Mixing Speed (r/min) : 220/111/74. 6. Size(mm) : 1205x652x1300mm. 7. 3 Attachments : Wire Whip, Dough Arm, Beater. 8. Colour : Silver. 9. Trolley : 1Pc. 10. Belt Transmission. 11. With Safety Guard. 12. Weight : 480Kg 	
45	Planetary mixer machine (Belt Drive, Safety Net, Trolley)	HEPM-100F		<ol style="list-style-type: none"> 1. Bowl Volume : 100L. 2. Voltage (V/Hz) : 380V/50Hz. 3. Power(HP) : 4 KW 4. Max. Kneading Capacity : 16Kg. 5. Mixing Speed (r/min) : 220/111/74. 6. Size(mm) : 1205x652x1300mm. 7. 3 Attachments : Wire Whip, Dough Arm, Beater. 8. Colour : Silver. 9. Trolley : 1Pc. 10. Belt Transmission. 11. With Safety Guard. 12. Weight : 580Kg 	
46	Planetary mixer machine	HEPM		<p>CAPACITY : 20Ltr, 30Ltr, 40Ltr MOTOR : 1/2HP, 1HP, 1.5HP</p>	
SPIRAL MIXER MACHINE					
47	Spiral Mixer 3Kg/5Kg	HESP3		<p>Size:540*320*650mm Vol.:220V 50Hz 1.1kW N/G Weight:65Kg Kneading capacity: 5kg Bow capacity: 10L Hook mixing speed:250/ rpm; Bowl speed:25/ rpm; 1. Single speed, onemoter 2. Belt transmission 3. Working stable and low noise</p>	
48	Spiral Mixer 6Kg/10Kg	HESP6		<p>Size:675*400*825 Vol.:220V 50Hz 1.1kW N/G Weight:92/112 Flour capacity:6kg Bow capacity: 20L Hook mixing speed:250/125rpm; Bowl speed:20/10rpm; 1. Double speed, one moter 2. Belt transmission 3. Working stable and low noise</p>	

HAYA ENGINEERING

49	Spiral Mixer 10Kg	HESP10		<p>Size:730*445*860 Vol.:220V 50Hz 2kW N/G Weight:103/123 Flour capacity:10kg Bow capacity: 30L Hook mixing speed:250/125rpm; Bowl speed:20/10rpm; 1. Double speed, one motor 2. Belt transmission 3. Working stable and low noise</p>	
50	Spiral Mixer 10Kg (Heavy Duty)	HESP10		<p>Dimension:830x450x1 100mm Power (V/Hz/KW): 220V/1.5KW Net weight:220Kg Capacity:10Kg Flour 17Kg Dough One Direction, Two Speed. Mixing speed: 130/260 RPM; Transmission Belt (Mitsubishi Brand From JAPAN) Bearing (C&U From CHINA) A/C Contactor (CHINT Brand From CHINA) Relay (Omron Brand From Japan)</p>	
51	Spiral Mixer 12.5Kg	HESP12.5		<p>Vol.:380V 50Hz 2.8kW E.X. Size:75.4*49*105.5 N/G Weight:133/153 Flour capacity:12kg Bow capacity: 40L Hook mixing speed:250/125rpm Bowl speed:24/12rpm; 1. Double speed, double timer 2. Belt transmission 3. Working stable and low noise</p>	
52	15KG SPIRAL MIXER MACHINE	HESP15		<p>BOWL TYPE : REMOVABLE BOWL MATERIAL : STAINLESS STEEL POWER SOURCE : ELECTRIC AUTOMATION WEIGHT : 180KG MOTOR POWER : 3HP + 0.5HP VOLTAGE : 415V GRADE : SEMI - AUTOMATIC THICKNESS : 3MM POWER : 3.5HP</p>	





HAYA ENGINEERING

52	30 KG SPIRAL MIXER MACHINE	HESP30		DIMENSION : 42 * 38.8 *17.5 INCH BOWL TYPE : REMOVABLE BOWL MATERIAL : STAINLESS STEEL/ M.S POWER SOURCE : ELECTRIC AUTOMATION WEIGHT : 260KG MOTOR POWER : 5HP + 1HP VOLTAGE : 415V GRADE : FULLY AUTOMATIC THICKNESS : 5MM POWER : 6HP	
53	60KG SPIRAL MIXER MACHINE	HESP60		BOWL TYPE : REMOVABLE BOWL MATERIAL : STAINLESS STEEL/M.S POWER SOURCE : ELECTRIC AUTOMATION WEIGHT : 320KG MOTOR POWER : 7.5HP + 1.5HP VOLTAGE : 415V GRADE : FULLY AUTOMATIC THICKNESS : 5MM POWER : 9HP SIZE : 1144mm*1090mm*492mm	
54	90KG SPIRAL MIXER MACHINE	HESP90		BOWL TYPE : REMOVABLE BOWL MATERIAL : STAINLESS STEEL POWER SOURCE : ELECTRIC AUTOMATION WEIGHT : 400KG MOTOR POWER : 10HP + 2HP VOLTAGE : 415V GRADE : FULLY AUTOMATIC THICKNESS : 5MM POWER : 11HP SIZE : 1192mm*1194mm*544mm	
55	120KG SPIRAL MIXER MACHINE	HESP120		BOWL TYPE : REMOVABLE BOWL MATERIAL : STAINLESS STEEL POWER SOURCE : ELECTRIC AUTOMATION WEIGHT : 450KG MOTOR POWER : 12.5 HP +2HP VOLTAGE : 415V GRADE : FULLY AUTOMATIC THICKNESS : 5MM POWER : 14.5HP	



HAYA ENGINEERING

56	Flour Mixing Machine & Dough kneader	HEFM & HEDK		<p>CAPACITY : 2KG ,5KG, 10KG, 15KG, 20KG, 30KG, 50KG MOTOR : 0.25HP, 0.5HP, 1HP,1HP, 1.5HP, 2HP,3HP & CAPACITY : 30KG, 60KG, 90KG MOTOR : 1.5 HP, 2HP, 3HP</p>	
57	Farsan Mixing Machine & Dough kneader u type bowl	HEFM HEUDK		<p>CAPACITY : 30KG, 60KG, 90KG MOTOR : 5 HP, 7.5HP, 10HP</p>	
58	Besan mixing machine	HEBM		<p>CAPACITY: 10KG, 15KG, 20KG MOTOR : ½ HP, 1HP,1.5HP S.S/ M.S MATERIAL AVAILABLE</p>	

HAYA ENGINEERING

59	Cream roll filling machine	HECF		15liters 25 liters HOPER S.S	
Dough Sheeter (J)					
60	Dough Sheeter			Height : 1060mm (3' 6') Width : 2370mm (7' 9') Breath : 1070mm (5' 6') Conveyer belt size : 2300mm * 660mm * 2mm Mounting : caster while Installing power : 1HP Electrical : 440vac, 3- phase Geder motor : 82rpm	
61	Dough Sheeter 630mm (Heavy Model)		<p style="text-align: center;">HEDS-650</p> 	Size:1100x2950x1180mm Vol.:380V 50Hz / 0.75/KW N/G Weight: 225Kg 1. Max. Dough Capacity: 6.5 Kg/time 2. Resting Position: 780x1780mm 3. Working Position: 2950/1180mm 4. Belt Size 630*2400mm 5. Roller Adjustable Gap: 1-40mm	
62	Dough Sheeter 520mm (Heavy Model)		<p style="text-align: center;">HEDS-520</p> 	Size:880x2550x1180mm Vol.:380V 50Hz / 0.56/KW N/G Weight: 190Kg 1. Max. Dough Capacity: 5 Kg/time 2. Resting Position: 750x1600mm 3. Working Position: 2550/1180mm 4. Belt Size 500*2160mm 5. Roller Adjustable Gap: 1-40mm	

HAYA ENGINEERING

63	Table Top Dough Sheeter 520mm	HEDS-550T		Size:910*1890*590mm Vol.:220V 50Hz 0.55kW N/G Weight:125/145 Full SS Body. 1. Max. dough capacity 4.5Kg/time 2. Stowed width/ height910*740mm 3. Belt size 520*2200mm 4. Roller adjustable gap 1-40mm 5. Expanded W/H 1890*590mm 6. Overload protection, open-phase protection function.	
Bread Slicer					
64	Bread Slicer machine	HEBS12 &16		Vol.:220V 50Hz 0.25kW N/G Weight:59/76 1) Slicing Blades(Imported from Japan). 2) Max bread length380mm. 3) Production capacity 160-240pcs/h. 4) Copper motor inside. 5) 1mm thickness platform stainless steel 6) Slicing thickness: 12mm & 16mm	
65	Bread Slicer machine	HEBS12 &16		Size:650*660*760mm Vol.:220V 50Hz 0.25kW N/G Weight:59/76 1) Slicing Blades(Indian). 2) Max bread length380mm. 3) Production capacity 200-300pcs/h. 4) Copper motor inside. 5) Slicing thickness: 12mm & 16mm	